

Level 1

Possible consideration for comanagement with periodontist

- Diabetes
- Pregnancy
- Cardiovascular disease
- Chronic respiratory disease



Level 1


Exposed to risk

- Cancer therapy
- Cardiovascular surgery
- Joint-replacement surgery
- Organ transplantation



Immunosuppressive cyclosporine

May benefit from co-management



May benefit from co-management

Undergoing Treatment for

Cancer Therapy

Pregnancy

Joint-replacement
Therapy

Organ Transplant
Therapy

Other
diseases

Referrals


- Evaluate each periodontal site not the overall average improvement
- **Even one site needs specialist evaluation**
- Non-responsive is an important diagnostic tool

Surgery Criteria for DH

- 1. Attachment loss without furcation involvement**
- 2. Inaccessible pocket areas (>5mm)**
- 3. Exhausted all possible hygiene options**
- 4. Persistent inflammation with moderate to deep pockets**


A. MAXILLARY FIRST MOLAR

Lingual Palatal root



B. MANDIBULAR FIRST MOLAR

Lingual





Special Considerations

- **Hopeless teeth**
 - Suffer & Scale
 - Watch & Wait
 - Superheroics
 - Beg & Cry (to extract)
 - Refer (to specialist)
- **Extraction**
 - Ridge preservation

Periodontist

Not only for Periodontitis

Periodontal Surgery Today

- **Movement toward oral plastic surgery**
 - **Recession, plasty, ridge augmentation**
 - **Tissue engineering procedures**
 - **Now more regenerative than pocket elimination oriented**
 - **Implants**
 - **Optimal oral function**
 - **Optimal esthetic outcomes**